Ampved For Release 2003/12/19 : CIA-RDP78T04759A006200010028-9

PHOTOGRAPHIC INTERPRETATION REPORT



RECENT CHANGES AT
PEI-CHING GUIDED MISSILE
DEVELOPMENT AND
PRODUCTION CENTER
CHANG-HSIN-TIEN, CHINA

25X1 FEBRUARY 1967 25X1

COPY116

7 PAGES

25X1

Declass Review by NIMA/DOD

GROUP 1 EXCLUDED FROM AUTOMATIC DOWN GRADING AND DECLASSIFICATION

Approved For Release 2003/12/19 : CIA-RDP78T04759A006200010028-9

25X1

25X1

25X1

25X1 25X1 25X1

25X1

25X1

25X1

25X1

RECENT CHANGES AT PEI-CHING GUIDED MISSILE DEVELOPMENT AND PRODUCTION CENTER CHANG-HSIN-TIEN, CHINA

		25X1
The Pei-ching Guided Missile Development and Production Center (PGMDPC). Chang-hsintien is located 3 nautical miles (nm) west of Chang-hsin-tien and 13 nm southwest of Pei-ching (Peiping), China, at 39-49-30N 116-08-00E (Figure 1). Photography through	smaller object; however, this debris could possibly be sediment of some type. The debris was not present on	25X1
was utilized in a recent detailed analysis of this installation (NPIC) 1/ The most recent photography of the center, obtained in revealed new information about the installation, including significant changes at the vertical rocket engine test stands in the Test Stand Area	ress. The northernmost of the 2 superstructure support struts appears thinner than when seen	25X1
and in the Research and Development Area (Figure 2). During the PGMDPC was photographed on 2 different days photography, however, was of smaller scale than that of and did not yield	occur occasionally when a large rocket engine is test fired. The photography of also reveals stains in the sump of Test Stand No 1 and in the sumps of both test positions at Test	25X1
as much information about the test stands because the superstructures of the stands obscured the view of the sumps. The photography has therefore been used for Figures 2.	Lan-tien-chang	

3, 5, and 6. Evidence of recent test activity is visible at Test Stand No 3, the largest stand in the Rocket Engine Test Facility at the PGMDPC: 2 oblique views of this test stand are presented in Figure 3. A fan-shaped scar is visible on the lower part of the flame deflector, and a narrow scar or fissure is apparent on the upper part of the flame deflector which extends up under the test stand superstructure. The sump has been drained of most of the large volume of effluent observed on photography of 1/ and debris is visible in the bottom of the sump. This debris appears to consist of a large curved object and a




FIGURE 1. LOCATION MAP.

TOP SECRET

25X1

25X

25X1

TOP SECRET

FIGURE 2. PEI-CHING GUIDED MISSILE DEVELOPMENT AND PRODUCTION CENTER, CHANG-HSIN-TIEN, CHINA








FIGURE 5. RESEARCH AND DEVELOPMENT AREA

25X1 25X1

25X1




FIGURE 6. RECTANGULAR SECURED AREA.

Stand No 2, indicating test activity at both sounds. A light-toned scar is visible on the flame eleflector of the southernmost test position at Test Stand No 2, and a light-toned area that resembles somewhat the debris at Test Stand No 3 is apparent in the sump directly below the scar.

Since the photography of 3 Chinese characters have appeared on a nillside near the test stands, immediately outside the secured area (Figure 2). These characters have not been deciphered to date; however, the middle character may be the symbol for either "6" or "great."

The Probable Propellant Production Area has been completed (Figure 2). Two circular tanks in this area are similar in appearance 10 probable cryogenic storage tanks observed at a number of Soviet rocket engine test facilities. These tanks appear to have thick, probably insulated, walls; a small probable valve house is adjacent to the outside of each of the tanks.

presenting a keyhor configuration when newed from directly above The facilities in this area would seem to be involved in the production of cryogens; however, a previously identified air liqueraction plant is located immediately southeast of Test Stand N \rightarrow 2. 1/

The Research and Development Area contams a previously prentified wind tunnel of the continous-flow, closed-circuit type, an adjacent probable test building, a probable compressor building, and a group of horizontal pressure tanks (Figure 4). he rapny reveals a la ge and a small diffuser extending from the buth side of a test building previously identified as a probable test building (Figure 5). The presence of the 2 diffusors indicates that the building contains at least 2 high-velocity wind sunnel test units. The large diffuser was first observed in a storage yard on photography of [and near the probable test build ig on pho25X1

25X1

25X1 25X1

$\overline{}$	_	`	4
_	יי	х	1
_	v	∕\	- 1

Approved For Release 20 **TOP2/5 £ CREAT** RDP78T04759A006200010028-

25X1 25X1

tography. $1/\Lambda$ nearby small building with 1 possible diffuser is newly identified as a possible test building.

Newly observed changes in other areas of the PGMDPC include a storage type building under construction in the Industrial and Fabrication Area and an unidentified tubular object adjacent to a probable vehicle track (Figure 2). Since 1 of the lattice towers has

been removed from the Rectangular Secured Area which is located about 1 nm southeast of the Research and Development Area (Figure photography reveals 25X1 6). The that the thermal powerplant is in operation. Sixteen rail/tank cars and considerable amounts of material in open storage are visible throughout the center, although few vehicles can be seen.

25X1

25X1

REFERENCE	S
-----------	---

MAPS OR CHARTS

ACIC series, scale 1:200,000

DOCUMENT

1. NPIC. Jan 67 (1 Guided Missile Development and Production Center, Chang-hsin-tien, China,

25X1

REQUIREMENT

GMAIC 3-67

NPIC PROJECT

11021/67 (partial answer)

: .* .			Tobol	₽₽ ₹8Т04759A0	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Approved For	Release 2003/	1 1/U P: QL	REP 18T04759A0	06200010028-9